NATIONAL INSTITUTE OF TECHNOLOGY CALICUT

N.I.T. Campus (P.O.), Kerala - 673601,
India Tel.: 0495 228 6155, 6134
EMAIL : purchase@nitc.ac.in

QUOTATION NOTICE

MAIN STORE

Date: 05.11.2026

SEALED QUOTATIONS are invited for the supply of the stores given in Schedule C. **The tenderers are requested to send their quotations (as per the format given in Schedule D) in sealed covers with the quotation reference number and last date for receipt of quotation super scribed.** Wherever indicated, samples may be furnished at the tenderer's expense unless otherwise specified. The tenderers are requested to follow the instructions given in Schedule A. This Institute cannot accept terms and conditions of payment other than the one specified in Schedule B.

1. Quotation Ref No. **NITC/S&P/S9/777/BSED(P)/EQPT/2026-27**
2. Last Date for receipt of Quotation **25.11.2026** Upto (IST) Time **4:00 PM**
3. The quoted rates should be valid up to **4 Months**
4. Address to which quotations are to be sent **The Assistant Registrar (Store & Purchase), NIT Calicut, NIT Campus (P.O.) 673 601.**

NIT Campus (P.O) Calicut - 673601 Kerala, India — National Institute of Technology Calicut

AR (S&P)

5/11/26

सहायक कुलसचिव (एस & पी)
Assistant Registrar (S & P)
राष्ट्रीय प्रौद्योगिकी संस्थान कालिकट
National Institute of Technology Calicut
केरल - ६७३६०१ / Kerala - 673601

To

1. .....

SCHEDULED A - INSTRUCTIONS TO TENDERERS

(a) Quotations should contain the complete specification and brand names.
(b) All taxes, packing and forwarding charges (if any) and any other charges should be clearly shown
(c) Prices quoted should be for delivering at the premises of NIT CALICUT.
(d) The period within which the items can be supplied on firm order should be clearly mentioned.
(e) Quotations containing conditions like "subject to prior sale" may not be considered.
(f) Quotations received after the due date are liable to be rejected.
(g)An integrity pact should be executed between the buyer and the bidder/vendor for all the contracts.

SCHEDULED B - CONDITIONS OF PAYMENT

The following conditions of payment should be accepted if the quotation is to be considered.
(a) 100% payment after the receipt of the items in good condition.
Normally, complete payment will be made within 45 days from the date of receipt/installation of the items in good condition.
(b) The supplier shall furnish the Performance Security Deposit and Form of Contract as follows:

(i) Execute a Form of contract as per the Institute's standard format on Govt. of India stamp paper worth Rs.200/-.

(ii) In case of the value of the supply order above Rs.10,00,000/- with warranty for the item, furnish a performance security deposit@3% of the total cost for the due fulfilment of the contract. This security shall be in the form of DD in favour of the Director, NIT Calicut, payable at SBI, Calicut REC Branch (Code2207) or Bank Guarantee from any nationalised bank/Scheduled commercial Banks valid for a period of sixty days beyond the contractual obligations, including warranty

(c) In case the supplier fails to deposit the required security and execute the contract bond on stamped paper of GOI or Govt. of Kerala (Specimen enclosed) by the due date, the contract is liable to be cancelled without prejudice to taking any further action to recover damages for any loss sustained by THE DIRECTOR as a result of supplier's refusal to abide by the terms of contract

(d) The supplier has to submit the invoice containing the following details:

(a) Invoice number and date
(b) Customer name
(c) Customer and taxpayer's GSTIN (if registered)
(d) Place of supply
(e) Item details, i.e. description, quantity (number), unit (meter, kg, etc.), total value
(f) Taxable value and discounts
(g) Rate and amount of GST tax rates.
(h) Signature of the supplier.
(i) PAN number should be indicated.

SCHEDULED C - Technical Specification and Delivery Terms

(See Annexure - I)

SCHEDULED D - Format of Quotations

(For use of the bidder. See note below)

Format of Quotations

Quotation Ref. No.: Last Date:

Sl.No.	Description of Goods (Attach necessary brochures)	Specification	Qty.	Unit	GST	Other Charges (if any)	Total Cost
GRAND TOTAL							

1. We agree to supply the above goods in accordance with the technical specification for a total contract price of Rs._____(amount in figures) (Rupees_____only) (amount in words) within the period specified in the Invitation for Quotations.

2. We also confirm that commercial warranty/guarantee of _____months shall apply to the offered goods from the date of installation/commissioning.

3. We undertake that in competing for (and if the award is made to us in executing) the above contract of supply of goods, we will strictly observe the laws against fraud and corruption in force in the Republic of India as required by National Institute of Technology Calicut.

Signature of the Bidder

Place:

Date:

Note:

1. Above tabular form is applicable while bids are being invited for more than one item and will be evaluated for all the items together. Modify the format accordingly where evaluation would be made for each item separately.
2. Quotation should be submitted on the official stationery of the bidder.

Sl. No.	Detailed Description	Approx Quantity	Whether Samples are to be sent
1.	DNA Gel Electrophoresis Unit	1 Nos – As per 1A specification in Schedule C 1 Nos – As per 1B specification in Schedule C	



Shedule C
(Annexure) I

DNA Gel Electrophoresis Unit	Qty
1A-Specifications	**1**
• A horizontal electrophoresis system should be able to run the gel size of midi-gel 15x10cm and mini-gel 7x10cm in separate tanks with safety lid with sample throughput of 10-60 and 8-30 respectively. • A system should include UV transparent gel tray of size 15x10 and 7x10 with integrated fluorescent ruler. • A system should include tape free gel casting module for leak free operations. • A system should include two 1.5mm, 15- & 20 and two 1.5mm 8- & 15-well-fixed height combs. • A system should have the option for adjustable height combs with comb holders. • Migration rate of Bromophenol Blue dye should be similar to 4.5cm/h (at 75 V). • A system should have a lock-in design to run precast ready agarose gels. • Should include Buffer tanks, Lid with cables,15x10cm, 7x10cm tray, Leveling bubble, 15- and 20-well combs, 8- & 15-well combs, Casting gates, Gel caster • Should come with all accessories **With Power supply:** • Output range (programmable): 10–300 V, fully adjustable in 1 V steps 4–400 mA, fully adjustable in 1 mA steps 75 W maximum • Type of output: Constant voltage, constant current with automatic crossover • Output terminals: 4 pair recessed banana jacks floating in parallel • Timer: 1–999 min, fully adjustable • Pause/resume run function: YES • Display: LED • Operating conditions: 0–40°C; 0–95% humidity in the absence of condensation • Safety compliance: EN–61010 • EMI: Conforms to CE Standards for Emissions and Immunity class A, tested only at 230 TÜV EMC certification • Safety features: No-load detection, sudden load change detection, overload/short circuit protection, input line protection, auto power-up after power failure • Input protection: Fuse on both hot and neutral • Input power (actual): 90–120 or 198–264 VAC, 50 or 60 Hz, auto switching • Should have CE Certification.	
• Product working demonstration at the department with the equipment, UV transparent tray, leak free casting unit and accessories mandatory *(Note: Samples, Buffers, and other requirements of demonstration have to be arranged by the vendor, except electrical power sockets; no other reagents/samples will be provided by NITC for the demonstration)*	

Shedule C
Annexure I

DNA Gel Electrophoresis Unit	Qty
1B-Specifications	**1**
• A horizontal electrophoresis system should be able to run the gel size of 15x15cm with safety lid with sample throughput of 8-30 • A system should include UV transparent gel tray of size 15x15 with integrated fluorescent ruler. • A system should include tape free gel casting module for leak free operations. • A system should include two 1.5mm 15- & 20 –well fixed height combs. • A system should have the option for adjustable height combs with comb holders. • Migration rate of Bromophenol Blue dye should be similar to 4.5cm/hr (at 75 V). • A system should have a lock-in design to run precast ready agarose gels. • Should come with all accessories Gel Tray Size [LxW] : 15 X 15 Combs : 15well, 20 well Gel caster : Included • Should include -Buffer tank, Lid with cables,15 x 15 cm tray, Leveling bubble, 15- and 20-well combs, Casting gates, Gel caster	
• Product working demonstration at the department with the equipment, UV transparent tray, leak free casting unit, and accessories mandatory *(Note: Samples, Buffers, and other requirements of demonstration have to be arranged by the vendor, except electrical power sockets; no other reagents/samples will be provided by NITC for the demonstration)*	

20/02/24

Terms and Conditions:

Buyer Added text based ATC clauses.

1. **Product working demonstration:** After opening of the Technical bid (Part-1), Physical demonstration of the quoted model may have to be shown/arranged by the bidder as per the details provided in the technical specification in accordance to the last point ***"Product working demonstration"***. Physical demonstration may be shown at the end user's laboratory located at BSED, NITC within 10 days from the date of request. Physical Demonstration may be requested to confirm the availability of any or all technical features as mentioned/stated in the technical bid. Physical Demonstration will also be a part of technical evaluation process and if the bidder does not comply, such bids are liable to be disqualified. (Demonstration of quoted model and accessories complying technical specifications has to be shown and not the demonstration of similar models or accessories with different technical specifications and features)
2. Bidder should have a registered office or registered service center in Kerala and trade license in Kerala, having its own name from local bodies like corporation, municipalities, etc. should be attached
3. Bidder should have at least 2 separate purchase orders in GEM for same models of equipment with accessories