

NATIONAL INSTITUTE OF TECHNOLOGY CALICUT

N.I.T. Campus (P.O.), Kerala - 673601,

India Tel.: 0495 228 6155, 6134

EMAIL :purchase@nitc.ac.in

QUOTATION NOTICE

MAIN STORE

Date: 31-08-2026

SEALED QUOTATIONS are invited for the supply of the stores given in Schedule C. **The tenderers are requested to send their quotations (as per the format given in Schedule D) in sealed covers with the quotation reference number and last date for receipt of quotation super scribed.** Wherever indicated, samples may be furnished at the tenderer's expense unless otherwise specified. The tenderers are requested to follow the instructions given in Schedule A. This Institute cannot accept terms and conditions of payment other than the alternative given in Schedule B.

1. Quotation Ref No. **NITC/S&P/S1/597/CED/Plan/FUR/2026-27**
2. Last Date for receipt of Quotation **21-09-2026** Upto (IST) Time **4:00 PM**
3. The quoted rates should be valid up to **4 Months**
4. Address to which quotations are to be sent

**The Assistant Registrar (Store & Purchase),
NIT Calicut, NIT Campus (P.O.) 673 601.**



AR (S&P)

[Handwritten signature]

To
1.

सहायक कुलसचिव (एस & पी)
Assistant Registrar (S & P)
राष्ट्रीय प्रौद्योगिकी संस्थान कलिकट
National Institute of Technology Calicut
केरल - 673601 / Kerala - 673601

SCHEDULED A - INSTRUCTIONS TO TENDERERS

- (a) Quotations should contain the complete specification and brand names.
- (b) All taxes, packing and forwarding charges (if any) and any other charges should be clearly shown
- (c) Prices quoted should be for delivering at the premises of NIT CALICUT.
- (d) The period within which the items can be supplied on firm order should be clearly mentioned.
- (e) Quotations containing conditions like "subject to prior sale" may not be considered.
- (f) Quotations received after the due date are liable to be rejected.
- (g) An integrity pact should be executed between the buyer and the bidder/vendor for all the contracts.

SCHEDULED B - CONDITIONS OF PAYMENT

One of the following conditions of payment should be accepted if the quotation is to be considered.

- (a) 100% payment after the receipt of the items in good condition.
Normally, complete payment will be made within 45 days from the date of receipt/installation of the items in good condition.
- (b) The supplier shall furnish the Performance Security Deposit and Form Contract as follows:

- (i) Execute a Form of contract as per the Institute's standard format on Govt. of India stamp paper worth Rs.200/-.
- (ii) In case of the value of the supply order above Rs.10,00,000/- with warranty for the item, furnish a performance security deposit@3% of the total cost for the due fulfilment of the contract. This security shall be in the form of DD in favour of the Director, NIT Calicut, payable at SBI, Calicut REC Branch (Code2207) or Bank Guarantee from any nationalised bank/Scheduled commercial Banks valid for a period of sixty days beyond the contractual obligations, including warranty

(c) In case the supplier fails to deposit the required security and execute the contract bond on stamped paper of GOI or Govt. of Kerala (Specimen enclosed) by the due date, the contract is liable to be cancelled without prejudice to taking any further action to recover damages for any loss sustained by THE DIRECTOR as a result of supplier's refusal to abide by the terms of contract

- (a) Invoice number and date
- (b) Customer name
- (c) Customer and taxpayer's GSTIN (if registered)
- (d) Place of supply
- (e) Item details, i.e. description, quantity (number), unit (meter, kg, etc.), total value
- (f) Taxable value and discounts
- (g) Rate and amount of GST tax rates.
- (h) Signature of the supplier.
- (i) PAN number should be indicated.

SCHEDULED C - Technical Specification and Delivery Terms

(See Annexure - I)

SCHEDULED D - Format of Quotations

(For use of the bidder. See note below)

Format of Quotations

Quotation Ref. No.:

Last Date:

Sl.No.	Description of Goods (Attach necessary brochures)	Specification	Qty.	Unit	GST	Other Charges (if any)	Total Cost
GRAND TOTAL							

1. We agree to supply the above goods in accordance with the technical specification for a total contract price of Rs. _____ (amount in figures) (Rupees _____ only) (amount in words) within the period specified in the Invitation for Quotations.
2. We also confirm that commercial warranty/guarantee of _____ months shall apply to the offered goods from the date of installation/commissioning.
3. We undertake that in competing for (and if the award is made to us in executing) the above contract of supply of goods. We will strictly observe the laws against fraud and corruption in force in the Republic of India as required by National Institute of Technology Calicut.

Place:
Date:














Signature of the Bidder



Note:

1. Above tabular form is applicable while bids are being invited for more than one item and will be evaluated for all the items together. Modify the format accordingly where evaluation would be made for each item separately.
2. Quotation should be submitted on the official stationery of the bidder.

Sr. No.	Detailed Description	Approx Quantity	Whether Samples are to be sent
1.	Heavy Duty Tables for Instruments (Detailed Specification Attached)	7 Nos.	



DESCRIPTION	REFERENCE IMAGE	SPECIFICATION
ENVIRONMENT LAB		
01 ROOM 1 Manager main table size : 1800mm L X 600mm D X 750mm Ht Manager side storage size : 1400mm L X 450mm D X 750mm Ht 		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectnagle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Specification: Prelam side storage with openable doors Top : 25mm thick prelam particle board finished with 2mm pvc edge band. Side,Bottom : 18mm and 9mm thick prelaminated particle board along with D - handles, cam locks, levelers, skirting, and all necessary hardware.
02 ROOM 2 Manager main table size : 1800mm L X 600mm D X 750mm Ht Manager side storage size : 1400mm L X 450mm D X 750mm Ht 		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectnagle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Specification: Prelam side storage with openable doors Top : 25mm thick prelam particle board finished with 2mm pvc edge band. Side,Bottom : 18mm and 9mm thick prelaminated particle board along with D - handles, cam locks, levelers, skirting, and all necessary hardware.
03 ROOM 3 Manager main table size : 1800mm L X 750mm D X 750mm Ht Manager side storage size : 1250mm L X 450mm D X 750mm Ht 		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectnagle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Specification: Prelam side storage with openable doors Top : 25mm thick prelam particle board finished with 2mm pvc edge band. Side,Bottom : 18mm and 9mm thick prelaminated particle board along with D - handles, cam locks, levelers, skirting, and all necessary hardware.
04 ROOM 4 Manager main table size : 1800mm L X 750mm D X 750mm Ht Manager side storage size : 1150mm L X 450mm D X 750mm Ht 		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectnagle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Specification: Prelam side storage with openable doors Top : 25mm thick prelam particle board finished with 2mm pvc edge band. Side,Bottom : 18mm and 9mm thick prelaminated particle board along with D - handles, cam locks, levelers, skirting, and all necessary hardware.
05 ROOM 5 Straight table size : 1200mm L X 600mm D X 750mm Ht 		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectnagle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Side storage and pedestal not considered.
05a ROOM 5 Straight table size : 1800mm L X 750mm D X 750mm Ht 		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectnagle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Side storage and pedestal not considered.

06 ROOM 6 Straight table size : 1350mm L X 600mm D X 750mm Ht		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectnagle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Side storage and pedestal not considered.
07 ROOM 7 Linear non sharing workstations size : 1000mm L X 600mm D X 750mm Ht		Specification: BOSQ standard specification Top(OSL) : 25mm thick Pre-laminate particle board finished with 2mm edge lipping. Support : 50 x 50 Ms powder coated rectangle legs with 40 x 20 ms crossbar and ms powder coated footrest is considered. Grommet cap is considered. Wire manager : Not considered. Side storage and pedestal not considered.

